P:10 B

Preserve

App. F. IX-4

1933-34 (R.A)

File No. 4-33

Serial Nos. 1-4

Previous References

R.A 12-32 Ss: 142, B Oct. 1932.
" 43-" " 142, B June 1933.
" 90-29 " 142, —" — 1930

Later References

RA 4-33- Ss. 5-10 B May 1934.
" 58-33 " 163, B June 1934.
" 15-34 " 142, B Nov. 1934.
"
" 14-34 " 142, B Sept. 1935

General and Revenue Secretariat.

Serial Nos. 4

Part B for September 1933.

SUBJECT

Estimate for fitting up the Jayammohan Palace Pavilion for the Dasara Session of the R.A. meeting to be held in September 1933.

R:4. To The Chief Engineer, Comptroller and the Secretary, R.A. No. RL 114-17 dated 6.9.1933.

Sanctions the estimate and approves the proposal of the Chief Engineer.

Serial No.

1

From

The Chief Engineer, P.W.D.
No 1760 & 16th May 1933

Forwards for sanction an estimate for Rs 435/ for fitting up the Jagan Mohan palace pavilion for the Durbar Session of the R.A. meeting to be held in Sept 1933

A suggestion is also made by the Chief Engr. that, in future the estimate for this work which is a minor one may be got Counter-Signed by the Secy. R.A & sanctioned by the Supdg. Engineer

2 According to the existing practice such estimates are being received through the Chief Engineer for obtaining sanction of Govt (Vide R.A. 12-32/43-32 Pol-Sp. & M.S. No. dated the estimate & approving the suggestion of the Ch. Engineer is submitted for orders

2/5/33

3 Why is the estimate so much this time?

4/5/33

4 Reis Reference is invited to item no. 30 in the estimate about electric charges and the note in pencil below that item. The charges are now estimated at Rs 435/ as against Rs 239 stated to have been incurred last year. This accounts for the estimate being so high this time. ~~Details of electric charges which are estimated at Rs 435/~~ If approved no enquiry will be made as to whether it is not possible to keep down the expenditure to the last year's figures.

5 Submitted with a draft endorsing

23/5 6/5/33

6 Done

6/5/33

Estimate for fitting up Suffragan Bishop's Palace Poonamallee

App. F. III—2] 2

General and Revenue Secretariat | R.A. File No. 4 of 1933.

Serial No.	
2.	To The Chief Engineer P.W.D No RL 100 dt 25.8.33 Enquires if it is not possible to keep down the expenditure for electric charges to the last years figure
3	From The Chief Engineer P.W.D. No 22 258 dt 30.8.33 With reference to the above states that the Chief Electrical Engineer who was consulted in the matter states that the estimate for Rs 4351/- for electric charges is in order & may be passed. The Chief Engineer P.W.D states that it is not possible to keep down the Cost to the last years figure. The W&SO. check put up is re-submitted with slight modification dt 31/8
	Under) 9 Ce 30/8 It may be approved. Dewan 1/9
	1/9
	2-9-33
	13 Dy 4/9
	14 Dy Ce 5/9

DE 1693 Oct. 1933

NOTE—Contn. Sheet

WD 02553—50,000—GPE—8-7 30

3

R.A File No. 4 164 of 1933.

General and Revenue Secretariat

4. To
The Chief Engineer
" Controller
" Secy, R.A.
" Supdtg. Engineer, Mysore Circle
Govt. Rl. 114-178 6-9-33
Launches. Re estimate &
Approval to proposal of the Ch Engineer

B

7/9

OFFICE OF THE SECRETARY
7 SEPT. 1933
REPRESENTATIVE ASSEMBLY
AND
LEGISLATIVE COUNCIL

(4)

D.18 | R.L. | R.H. 4-334

Tel. Address:
"MYSORWORKS."

No. 1760
Encls. 1 Estimate
1 Report in Duplicate
1 Electric Estimate
1 Note Report in Duplicate.

PUBLIC WORKS DEPARTMENT,

CENTRAL OFFICE,

Dated Bangalore, 16 August 1933.

FROM

M. G. RANGAIYA, ESQ., B.A., B.E., M.R.SAN.I., M.AM.A.E.,
Chief Engineer of Mysore,
Bangalore.

OFFICE OF THE SECRETARY
16 AUG. 1933
REPRESENTATIVE ASSEMBLY
To
LEGISLATIVE COUNCIL.

The Secretary,

Representative Assembly,

Bangalore

Subject:- Fitting up the Marriage pavilion attached to the Jaganmohan palace for the Dasara Session of the Representative Assembly Meeting for 1933-34.

Sir,

I have the honour to forward herewith for favour of sanction and allotment of funds an estimate amounting to Rs 945 for the above work together with a report, received from the Superintending Engineer, Mysore Circle.

2. The work, being urgent, has been put in hand pending sanction to the estimate.

It is suggested that in future the estimate for this work which is a minor one be got countersigned by you and sanctioned by the Superintending Engineer, Mysore Circle.

I have the honour to be,

Sir,

Your most obedient servant,

M. Lakshmanacharya

for Chief Engineer of Mysore.

V.N.S.

5.8.33

5

Appendix F G—1]

SUBJECT .....

.....

.....

Section R.A.

File No. 4—33

Serial No. 2

Diary No. of letter replied to .....

No. RL 100/Ex: Secl only.

To The Chief Engineer

Sir

General and Revenue Secretariat

( )

the . *193* .

With reference to your letter no 1760 g/16th Nov/1933 forwarding for sanction an estimate for Rs 945/- for fitting up the Marriage pavilion attached to the Lagoon Mahal Palace for the Devaraswom enquiry g/the R.A, I am directed to invite your kind reference to item no 30 in the estimate about electric charges amounting to Rs 435/- as against Rs 239/- stated to have been incurred last year & to enquire whether it is not possible to keep down the expenditure on this account to the last year's figure ~~Rs 239/-~~.

Date of issue 25. 8. 1933

Signed by Mr. G. Subramaniam Aiyar

List of enclosures .....

Copied by .....

Examined by .....

The estimate is returned for reference & return.

WD 71—GBPM—10,000—20-7-31.

IX/2318. 4

I have the
honour to
be
Sir
Your obedient
servant

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No. RL IVD / R.A-4-33-2 Dated, Bangalore, 26th August 1933.

Encls: Six only

From

H.V. Ramaswami, Esq., M.A., B.L.,
Secretary to the Government of His Highness the Maharaja of Mysore.

General Department, Bangalore.

To

M.G. Rangaiya, Esq., B.A., B.E., M.R.San.I., M.Am.A.S.,
Chief Engineer of Mysore,
Bangalore.

Sir,

With reference to your letter No. 1760 dated 16th August 1933 forwarding for sanction an estimate for Rs. 945/- for fitting up the Marriage Pavilion attached to the Jagan Mohan Palace for the ensuing Dasara Session of the Representative Assembly, I am directed to invite your kind reference to Item No. 30 in the estimate about electric charges amounting to Rs. 435 as against Rs. 239/- stated to have been incurred last year and to enquire whether it is not possible to keep down the expenditure on this account to the last year's figure.

The estimate is returned for reference and return.

I have the honour to be,
Sir,
Your most obedient servant,

for Secretary to Government,
General Department.

CSR.

Tel. Address:
"MYSORWORKS"
No. 2229
Encls. 2 Estimates
2 Reports in Duplicate
1 Copy

164 / R.A.
R.A 4-33-3

PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 30th August 1933.

OFFICE OF THE SEC
31 AUG 1933
REPRESENTATIVE
LEGISLATIVE COUNCIL.

M. G. RANGAIYA, Esq., B.A., B.E., M.R.SAN.I., M.AM.A.E.,
Chief Engineer of Mysore,
Bangalore.

To

The Secretary to Government,

General Department, Bangalore.

GENERAL DEPARTMENT
30 AUG 1933
No. R.R.

Subject:- Fitting up the marriage pavilion attached to the Jagan Mohan Palace for the ensuing Dasara Session of the Representative Assembly.

Sir,

In returning herewith the estimate for the above work, received with your letter No.R.L.100/R.A.4-33-2 dated the 25th August 1933, I have the honor to inform you that the Chief Electrical Engineer who was consulted regarding the credit given for lamps and fans in the electrical estimate for Rs 435/- (item No.30 in the estimate) with a view to reduce the cost says, in his letter No.1860 dated the 22nd August 1933 (copy enclosed) that it is in order and may be passed.

2. It is therefore not possible to keep down the cost to the last year's figure.

I have the honor to be,
Sir,
Your most obedient servant,

M. G. Rangaiya

CHIEF ENGINEER OF MYSORE.

M.C.P.

26

G.R.S. App. F VI G-2]

SUBJECT .....

.....

.....

Diary No. of letter replied to.....

General and Revenue Secretariat

( )

the *193*

Date of issue 6th September 1933

Signed by Mr. C. Subbaramayya

Asst

May this be

(i) Printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette, English Part?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette, Kannada Part ?

Sec. R.A.

File No. 4-33

Serial No. 4

Proceedings of the Government of His Highness the Maharaja of Mysore.

Read— correspondence ending with the Asst 1933 Letter no 22298/30 dt 16th August 1933 from the Chief Engineer forwarding for sanction an estimate amounting to Rs 945/- for filling up the Marble pavilion attached to the Rajamahal palace for the Darbar Session of the R.A. meeting for 1933 & suggesting that, in future, The estimate for this work which is a minor one may be got Countersigned by the Secy R.A & Sanctioned by the Superintending Engineer, Mysore Circle.

O-Rder- no. RE 114-17

The estimate is sanctioned,

P.T.O.

9

The Contingencies debited to the head "Miscellaneous-R.A." under 12 Gen Abstract

3. R.A. & R.G. in the current year's Budget.

The suggestion of the Chief Engineer that in future the estimate in this work may be got Countersigned by the Secy R.A. & Examined by the Supdg. Engr, is also approved.

Hon

Gen Secy to Govt

C 21/8/83

To the Chief Engineer with the Estimate

" Examiner of Accts

" Secy R.A.

" Supdg. Engineer, Mysore Circle.

List of enclosure

H
22/8
8/8

Copied by

Examined by

PROCEEDINGS OF H GOV MENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

R e a d.-

Correspondence ending with letter No. 2229 dated 30th August 1933 from the Chief Engineer forwarding for sanction an estimate amounting to Rs. 945/- for fitting up the Marriage Pavilion attached to the Jagan Mohan Palace for the Dasara Session of the Representative Assembly for 1933 and suggesting that in future the estimate for this work which is a minor one may be got countersigned by the Secretary, Representative Assembly and sanctioned by the Superintending Engineer, Mysore Circle.

O r d e r No. RL 114-17/R.A 4-33-4

Dated Bangalore, the 6th September 1933.

The estimate is sanctioned, the cost being debited to the head "Miscellaneous-Representative Assembly" under "12.General Administration, 3. Representative Assembly and Legislative Council" in the current year's budget.

2. The suggestion of the Chief Engineer that in future the estimate for this work may be got countersigned by the Secretary, Representative Assembly and sanctioned by the Superintending Engineer is also approved.

For General Secretary to Government.

To

The Chief Engineer in Mysore with the estimate.
The Comptroller to Government.
The Secretary, Representative Assembly,
The Superintending Engineer, Mysore Circle.

DKR.